# CRAFTMADE



### Bellows I - BW116AG3

16" Wall Mount Fan

Finish: Aged Bronze Textured





Increase your cool, indoors or out, with the Retro-inspired damp-rated Bellows I 16" wall mount fan. with a heavy-duty, 3-speed oscillating motor and 14" blades, this wall-mounted fan combines the retro style of a table fan with the power and efficiency of a ceiling fan. Finished in your choice of Aged Bronze Textured or Stainless Steel, it features separate knobs for oscillating and speed control. The fan can be hung and plugged in, with 40" corded plug or hard-wired if necessary.

- Heavy Duty, 3 Oscillating Speed Motor
- Wall Mount Installation Comes Pre-Wired with 40"
  Corded 3-Prong Plug End with Replaceable Fuse
- Wall Mount Installation Comes Pre-Wired with 40"
  Corded 3-Prong Plug End with Replaceable Fuse
- Separate Control Knobs for Speed Control and Oscillating Function
- Can be Hard-Wired Directly to Junction Box
- Suitable for Damp Locations


#### **Specs**

Blade Sweep Opt (in.)	14
Blades	3
Blade Pitch (°)	7
Motor Size (MM)	82x25
Amps at High Speed	0.38
Watts (Hi Speed)	43.60
Energy Guide CFM	1383
Energy Guide CFM_Watts	32
High Speed (CFM)	1382.74
Low Speed (CFM)	703.09
Carton Size (CU FT)	4.78

21

#### **Dimensions**

A C:



#### **Downloads**


#### Bellows I - BW116AG3



PDF Tear Sheet



Installation Guide



## ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
1383	44	32
Cubic Feet Per Minute	Watts (excludes lights)	Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room

