







Jarold Direcional

Designed in 2007

	Safety cages available for low ceilings.
 	Suitable for Damp Location **
	Compatible with Downrod Light Canopy
	U.S.A. Components and Labor



shown in Polished Chrome with metal blades and decorative cage






















shown in Polished Copper with wood blades

The blades of the Jarold Direcional ceiling fan can be infinitely positioned in a 180-degree arc to provide maximum, directional airflow. The Jarold can be hung in small, awkward spaces or in front of HVAC ducts to make more efficient the heating, ventilation or air conditioning of any room.

- Constructed of cast aluminum, heavy spun and stamped steel, the Jarold carries a limited lifetime warranty.
- Each unique motor mount and fan head knob is made of genuine marbled Bakelite.
- The Jarold is available with the following blade options:
 - metal blades with decorative metal blade guards
 - solid, ecologically harvested Brazilian mahogany blades without blade guards
 - metal blades with metal safety cages for use in low ceiling applications (7 ft in US / 8.2 ft in Canada)

Standard Finishes

Special Order Finishes

MATTHEWS


FAN COMPANY

Jarold Direcional

weight: 7 lbs
voltage: 110*



5", 10", 20", or 30"
downrods available



13" Metal
Blades

CFM: 2497
(Metal Blades)

Optimum Fan
Head Position is
45° to Yoke.

16"
Wood
Blades

5.5" diameter

CFM: 3087
(Wooden Blades)

Distance between top of yolk
and bottom of blades is as follows:
15" for metal blades
16" for wood blades

The Jarold Direcional can be mounted with any one of the following downrod lengths: 5, 10, 20 or 30".

- The downrods can be easily field cut; they are not threaded.

The Jarold is not compatible with the vaulted ceiling canopy.

All fans best regulated by variable speed wall controls.

Metal bladed fans with protective powder or clear coatings are suitable for Damp Location.

Safety cages available for low ceiling applications.

*Please contact us for possible 220V conversions.

**Damp location with powder or clear coat only.

Not recommended for salt water / ocean front applications.



**Damp Location