



Job Name:




Job Type:

Comments:

Quantity:

1180LE: IC Airtight 6" Fluorescent Housing

Specification Images:



IC Airtight Fluorescent New Construction Recessed Housing.
Accommodates 26w Ball

Trims: 1133AT, 1135, 1155AT, 1157AT, 1160AT, 11061AT, 11063AT

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Adjustable Socket Plate: Adjustable socket plate assembly provides flexibility in lamping options and precise lamp placement with various trims.

Housing Adjustment: Housing adjusts vertically for various ceiling thicknesses.

Bar Hanger Locking Screw: Tighten screw to lock bar hangers in place.

Bar Hanger: Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation.

Independently Tested Ballast: Provided with integral ballast offering years of trouble-free operation.

Junction Box with Integral Romex Connector: Junction box with integral romex connector, quick-push and lock connector and through circuit wiring with 4 in, 4 out #12 wire, saves installation time.

Safe - Thermally Protected/Listed for Damp Location: IC housing is approved for use in direct contact with insulation.

Tab to locate on bottom of joist

UPC #:785652011801

Dimensions:

Diameter: 6 1/4"
Length: 13 1/2"
Width: 12 5/16"
Height: 7 7/8"

Features:

- Energy Star Compliant
- Meets Title 24 energy efficiency standards

Material List:

1 Housing - Steel / Aluminum -

Safety Listing:

cUL Listed for Damp Locations / IC

Instruction Sheets:

Bilingual (English - French) (HC-932FB)

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship
Individual	1180LE	1	785652011801	14	12.5	8	0.81	4.16	Yes

Master Pack		6	10785652011808	26	18.5	9	2.505	25	Yes
NJ Pallet		192		48	40	76	84.444	800	No
NV Pallet		192		48	40	75.75	84.167	662.4	No

Trim

11061AT-172
6" Deep Cone Multiplier T
Antique Bronze - White Aluminum
Baffle
White Aluminum Trim
Maximum Wattage:
26w 4 - Pin

11061AT-861
6" Deep Cone Multiplier T
Satin Nickel - White Aluminum
Baffle
White Aluminum Trim
Maximum Wattage:
26w 4 - Pin

11063AT-15
6" Wall Wash Trim
White Steel Housing
White Steel Trim
Maximum Wattage:
26w 4 - Pin

11233AT-15
6" Shower Trim
Satin White Glass
Diffuser
White Aluminum
Reflector
White Aluminum Trim
Maximum Wattage:
26w 4 - Pin
Suitable For Shower
Light

11235AT-15
6" Flat Glass Trim
Steel Trim
Maximum Wattage:
26w 4 - Pin

11255AT-15
6" Shower Trim
Aluminum Trim
Maximum Wattage:
26w 4 - Pin
Suitable For Shower Light

1157AT-14
White Recessed Trim
White Trim / Baffle Aluminum
Baffle
White Trim / Baffle Aluminum
Trim
Maximum Wattage:
26w 4 - Pin

1157AT-15
**6" Deep Cone Baffle
Trim**
Black Aluminum Baffle
White Aluminum Trim
Maximum Wattage:
26w 4 - Pin

1160AT-14
White Recessed Trim
White Trim / Baffle Aluminum
Reflector
White Trim / Baffle Aluminum Trim
Maximum Wattage:
26w 4 - Pin

1160AT-22
6" Deep Cone Multiplier T
Polished Aluminum Aluminum
Reflector
White Aluminum Trim
Maximum Wattage:
26w 4 - Pin